



LOS ANGELES COUNTY METROPOLITAN TRANSPORTATION AUTHORITY

LOW CARBON TRANSIT OPERATIONS PROGRAM COMPLIANCE REPORT

Fiscal year ended June 30, 2018



INDEPENDENT AUDITOR'S REPORT ON COMPLIANCE WITH RULES AND REGULATIONS OF THE LOW CARBON TRANSIT OPERATIONS PROGRAM (LCTOP) AND REPORT ON INTERNAL CONTROL OVER COMPLIANCE

The Board of Directors Los Angeles County Metropolitan Transportation Authority Los Angeles, California

Report on Compliance with Low Carbon Transit Operations Program Guidelines

We have audited the Los Angeles County Metropolitan Transportation Authority (LACMTA) compliance with the types of compliance requirements described in the Low Carbon Transit Operations Program (LCTOP) Guidelines adopted by the California Department of Transportation that could have a direct and material effect on LACMTA's compliance with the LCTOP Guidelines for the fiscal year ended June 30, 2018.

Management's Responsibility

Management is responsible for compliance with the requirements of laws, regulations, contracts, and grants applicable to the LCTOP Guidelines.

Auditor's Responsibility

Our responsibility is to express an opinion on compliance for LACMTA's LCTOP program based on our audit of the types of compliance requirements referred to above. We conducted our audit of compliance in accordance with auditing standards generally accepted in the United States of America; the standards applicable to financial audits contained in *Government Auditing Standards*, issued by the Comptroller General of the United States; and the LCTOP Guidelines. Those standards require that we plan and perform the audit to obtain reasonable assurance about whether noncompliance with the types of compliance requirements referred to above that could have a direct and material effect on the LCTOP program occurred. An audit includes examining, on a test basis, evidence about LACMTA's compliance with those requirements and performing such other procedures as we considered necessary in the circumstances.

We believe that our audit provides a reasonable basis for our opinion on compliance for the LCTOP program. However, our audit does not provide a legal determination of LACMTA's compliance.

Opinion on the LCTOP Guidelines

In our opinion, LACMTA complied, in all material respects, with the types of compliance requirements referred to above that could have a direct and material effect on the LCTOP program for the fiscal year ended June 30, 2018.

Report on Internal Control over Compliance

Management of LACMTA is responsible for establishing and maintaining effective internal control over compliance with the types of compliance requirements referred to above. In planning and performing our audit of compliance, we considered LACMTA's internal control over compliance with the types of requirements that could have a direct and material effect on the LCTOP program to determine the auditing procedures that are appropriate in the circumstances for the purpose of expressing an opinion on compliance on the LCTOP program and to test and report on internal control over compliance in accordance with the LCTOP program, but not for the purpose of expressing an opinion on the effectiveness of internal control over compliance. Accordingly, we do not express an opinion on the effectiveness of LACMTA's internal control over compliance.

A deficiency in internal control over compliance exists when the design or operation of a control over compliance does not allow management or employees, in the normal course of performing their assigned functions, to prevent, or detect and correct, noncompliance with a type of compliance requirement of a LCTOP program on a timely basis. A material weakness in internal control over compliance is a deficiency, or combination of deficiencies, in internal control over compliance, such that there is a reasonable possibility that material noncompliance with a type of compliance requirement of the LCTOP program will not be prevented, or detected and corrected, on a timely basis. A significant deficiency in internal control over compliance is a deficiency, or a combination of deficiencies, in internal control over compliance over compliance with a type of compliance is a deficiency, or a combination of deficiencies, in internal control over compliance is a deficiency, or a combination of deficiencies, in internal control over compliance is a deficiency, or a combination of deficiencies, in internal control over compliance is a deficiency, or a combination of deficiencies, in internal control over compliance with a type of compliance requirement of the LCTOP program that is less severe than a material weakness in internal control over compliance, yet important enough to merit attention by those charged with governance.

Our consideration of internal control over compliance was for the limited purpose described in the first paragraph of this section and was not designed to identify all deficiencies in internal control over compliance that might be material weaknesses or significant deficiencies. We did not identify any deficiencies in internal control over compliance that we consider to be material weaknesses. However, material weaknesses may exist that have not been identified.

The purpose of this report on internal control over compliance is solely to describe the scope of our testing of internal control over compliance and the results of that testing based on the requirements of the LCTOP Guidelines. Accordingly, this report is not suitable for any other purpose.

Crowe LLP

Crowe LLP

Los Angeles, California December 19, 2018